ALWAYS REMEMBER: SASH is the acronym used when giving any medication through an IV. The letters stand for:



The amounts differ for pediatrics and adult patients:

PEDIATRIC (up to 10 years)

Saline flush 3–5mls

Administer medication

Saline flush 3–5mls

Heparin flush 1–3mls

If you have more than one lumen, flush each **UNUSED** lumen once daily with:

Saline 3–5mls, then Heparin 1–3mls

TIPS FOR GIVING MEDICATION THROUGH IV

. Never force the flush or medication. You may use some gentle pressure with your thumb. If at first it doesn't flush, try rotating your arm with the IV catheter in a circular motion at shoulder. Cough deeply, then re-try.

Make sure clamps are OPEN.

Always cleanse the tip of the IV-line connector with alcohol pads for 15 seconds using friction and allow 30 seconds for drying prior to use.

. Do not empty the syringe when flushing the saline and heparin. Push the plunger to reach the last small lines.

Any Questions, Call us First: 832.612.3500 866.612.3437 Fax

ADULT (over 10 years)

Saline flush 5-10mls

Saline flush 5–10mls

Heparin flush 3–5mls

If you have more than one lumen, flush

each **UNUSED** lumen once daily with:

Saline 5–10mls, then Heparin 3–5mls

Administer medication

HealthQuest Infusion & Specialty

1311 W Sam Houston Pkwy N, Ste 100 Houston, TX 77043

HQRx.com